ELSEVIER

Chemical Physics 238 (1998) 507–511

Chemical Physics

# Author index to volume 238

Adhikari, S. and G.D. Billing, Semiclassical reactive scattering: the Hermite correction method in hyperspherical coordinates 238 (1998) 69
Agranovich, V.M., see Kiselev, S.A. 238 (1998) 365
Arai, M., see Ikushima, Y. 238 (1998) 455

Bacchus-Montabonel, M.C., see Honvault, P. 238 (1998) 401
Baraldi, I., F. Momicchioli, G. Ponterini and D. Vanossi, Solvent effects within the CS INDO method. Geometrical distortion and solvatochromism of merocyanine dyes 238 (1998) 353
Barroso, J., A. Costela, I. García-Moreno and R. Sastre, Wavelength dependence of the nonlinear absorption properties of laser dyes in solid and liquid solutions 238 (1998) 257
Beltramo, G., C. Bilger, B. Pettinger and W. Schmickler, The second-harmonic response of single-crystal silver electrodes obtained with an interference method 238 (1998) 473
Berlin, Y.A., see Siebbeles, L.D.A. 238 (1998) 97
Bilger, C., see Beltramo, G. 238 (1998) 473
Billing, G.D., see Adhikari, S. 238 (1998) 69
Boyd, I.D., see Longo, S. 238 (1998) 445
Brems, V., A simple analytical estimate of the bound-free Franck–Condon factors for a transition to a repulsive exponential potential in a diatomic molecule 238 (1998) 85
Brouwer, A.M., W.J. Buma, R. Caudano, M. Fanti, C.-A. Fustin, D.A. Leigh, A. Murphy, P. Rudolf, F. Zerbetto and J.M. Zwier, Experimental and theoretical studies of the low-lying electronic states of the simplest benzylic amide [2]catenane 238 (1998) 421
Buma, W.J., see Brouwer, A.M. 238 (1998) 421
Burtsev, A.P., see Kolomiitsova, T.D. 238 (1998) 315

Cammi, R., see Champagne, B. 238 (1998) 153
Caudano, R., see Brouwer, A.M. 238 (1998) 421
Cavell, R.G., see Neville, J.J. 238 (1998) 201
Champagne, B., B. Mennucci, M. Cossi, R. Cammi and J. Tomasi, An ab initio time-dependent Hartree–Fock study of solvent effects on the polarizability and second hyperpolarizability of polyacetylene chains within the polarizable continuum model 238 (1998) 153
Chandra, A., Solvent effects on outersphere electron transfer reactions in mixed dipolar liquids 238 (1998) 285
Chen, J.H., P.N. Wang, F.M. Li, Y.Q. Chen and Z.G. Wang, The first-order electric field-induced spectra: theory and experimental study of $NO_2$ 238 (1998) 165
Chen, Y.Q., see Chen, J.H. 238 (1998) 165
Cong, S.-L., see Wang, M.-L. 238 (1998) 481
Cormack, A.J., see Yencha, A.J. 238 (1998) 109
Cormack, A.J., see Yencha, A.J. 238 (1998) 133

PII: S0301-0104(98)00337-6

Cossi, M., see Champagne, B. 238 (1998) 153
Costela, A., see Barroso, J. 238 (1998) 257

De Almeida, W.B., see Resende, S.M. 238 (1998) 11
Delon, A., S. Heilliette and R. Jost, 'Anomalous' density of states and rotational selection rules of loosely bound states of $NO_2$ 238 (1998) 465
Detken, A., P. Schiebel, M.R. Johnson, H. Zimmermann and U. Haeberlen, Rotational tunneling of methyl groups in the hydroquinone/acetonitrile clathrate: A combined deuteron NMR, INS, and computational study 238 (1998) 301
Donovan, R.J., see Yencha, A.J. 238 (1998) 109
Donovan, R.J., see Yencha, A.J. 238 (1998) 133
Duan, Y., Chemical bonding and magnetic properties of the high-spin molecule $[Mn_{12}O_{12}(HCOO)_{16}(H_2O)_4]$ 238 (1998) 407
Duhoo, T., see Lemoine, D. 238 (1998) 59

Endo, N., see Shirota, H. 238 (1998) 487
Engels, B., see Perić, M. 238 (1998) 33
Engels, B., see Perić, M. 238 (1998) 47
Ermisch, K., see Lindner, J. 238 (1998) 329

Fanti, M., see Brouwer, A.M. 238 (1998) 421
Fedoseev, V.G., see Kolomiitsova, T.D. 238 (1998) 315
Forrest, S.R., see Kiselev, S.A. 238 (1998) 365
Fritsch, A., Non-orthogonal orbitals for localized electrons. I. The Spin-Coupled wavefunction 238 (1998) 373
Fustin, C.-A., see Brouwer, A.M. 238 (1998) 421

García-Moreno, I., see Barroso, J. 238 (1998) 257
Gargaud, M., see Honvault, P. 238 (1998) 401
Griffiths, I.W., D.E. Parry and F.M. Harris, Vertical double ionization of the sulphur dioxide molecule 238 (1998) 21
Guest, M.F., see Palmer, M.H. 238 (1998) 179

Haeberlen, U., see Detken, A. 238 (1998) 301
Han, K.-L., see Wang, M.-L. 238 (1998) 481
Hanrath, M., see Perić, M. 238 (1998) 33
Harris, F.M., see Griffiths, I.W. 238 (1998) 21
Hartung, E., see Kiselev, S.A. 238 (1998) 365
He, G.-Z., see Wang, M.-L. 238 (1998) 481
Heilliette, S., see Delon, A. 238 (1998) 465
Heryadi, D., see McKellar, A.J. 238 (1998) 1
Hitchcock, A.P., see Neville, J.J. 238 (1998) 201
Honvault, P., M.C. Bacchus-Montabonel, M. Gargaud and R. McCarroll, Charge transfer between $Si^{3+}$ and helium at thermal and low energies 238 (1998) 401
Hopkirk, A., see Yencha, A.J. 238 (1998) 109
Hopkirk, A., see Yencha, A.J. 238 (1998) 133
Horie, K., see Shirota, H. 238 (1998) 487

Ikawa, S.-i., see Yasuda, T. 238 (1998) 173
Ikushima, Y. and M. Arai, Raman spectroscopy study on the dynamic behavior of nitrate anion in zinc nitrate solution at high temperatures and pressure 238 (1998) 455
Itkin, A.L., On the dependence of a critical supersaturation on pressure of a two-component background gas in a diffusion cloud chamber 238 (1998) 273
Izvekov, V., see Kovács, A. 238 (1998) 231

Johnson, M.R., see Detken, A. 238 (1998) 301
Jost, R., see Delon, A. 238 (1998) 465
Jürgensen, A., see Neville, J.J. 238 (1998) 201

Kapala, J., S. Roszak, I. Lisek and M. Miller, Mass spectrometric and theoretical study of the mixed complex $NaCeCl_4(g)$ 238 (1998) 221
Keresztury, G., see Kovács, A. 238 (1998) 231
King, G.C., see Yencha, A.J. 238 (1998) 109
King, G.C., see Yencha, A.J. 238 (1998) 133
Kiselev, S.A., E. Hartung, Z.G. Soos, S.R. Forrest and V.M. Agranovich, Cold photoconductivity in a system of interacting charge-transfer excitons at a donor–acceptor interface 238 (1998) 365
Kitahama, Y. and H. Murai, The study on the magnetic field effect and the microwave effect on the photoconductivity observed in the photolysis of *N*,*N*,*N*′,*N*′-tetramethyl-*p*-phenylenediamine: theoretical calculation trial by the stochastic Liouville equation 238 (1998) 429
Koch, H., see Sauer, S.P.A. 238 (1998) 385
Kolomiitsova, T.D., A.P. Burtsev, V.G. Fedoseev and D.N. Shchepkin, Manifestation of interaction of the transition dipole moments in IR spectra of low-temperature liquids and solutions in liquefied noble gases 238 (1998) 315
Kosugi, N., see Neville, J.J. 238 (1998) 201
Kovács, A., V. Izvekov, G. Keresztury and G. Pongor, Vibrational analysis of 2-nitrophenol. A joint FT-IR, FT-Raman and scaled quantum mechanical study 238 (1998) 231

Lawley, K.P., see Yencha, A.J. 238 (1998) 133
Leigh, D.A., see Brouwer, A.M. 238 (1998) 421
Lemoine, D. and T. Duhoo, Quantum study of oriented NO scattering from Ag(111): orientational steering and effects of surface corrugation 238 (1998) 59
Li, F.M., see Chen, J.H. 238 (1998) 165
Lindner, J., K. Ermisch and R. Wilhelm, Multi-photon dissociation of $CHBr_3$ at 248 and 193 nm: observation of the electronically excited $CH(A\,^2\Delta)$ product 238 (1998) 329
Lisek, I., see Kapala, J. 238 (1998) 221
Longo, S. and I.D. Boyd, Nonequilibrium dissociation of hydrogen in a parallel-plate radio frequency discharge 238 (1998) 445
Lou, N.-Q., see Wang, M.-L. 238 (1998) 481

McCarroll, R., see Honvault, P. 238 (1998) 401
McKellar, A.J., D. Heryadi, D.L. Yeager and J.A. Nichols, Complete basis set limit ionization potentials of $O_3$ and $NO_2$ using the multiconfigurational spin tensor electron propagator method (MCSTEP) 238 (1998) 1
Mennucci, B., see Champagne, B. 238 (1998) 153
Miller, M., see Kapala, J. 238 (1998) 221

Møller, C.K., see Sauer, S.P.A. 238 (1998) 385
Momicchioli, F., see Baraldi, I. 238 (1998) 353
Monnerville, M., see Pouilly, B. 238 (1998) 437
Murai, H., see Kitahama, Y. 238 (1998) 429
Murphy, A., see Brouwer, A.M. 238 (1998) 421

Nešpůrek, S., see Sworakowski, J. 238 (1998) 343
Neville, J.J., A. Jürgensen, R.G. Cavell, N. Kosugi and A.P. Hitchcock, Inner-shell excitation of $PF_3$, $PCl_3$, $PCl_2CF_3$, $OPF_3$ and $SPF_3$. Part I. Spectroscopy 238 (1998) 201
Nichols, J.A., see McKellar, A.J. 238 (1998) 1

Paidarová, I., see Sauer, S.P.A. 238 (1998) 385
Palmer, M.H., I.C. Walker and M.F. Guest, The electronic states of pyrrole studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations 238 (1998) 179
Parry, D.E., see Griffiths, I.W. 238 (1998) 21
Perić, M., B. Engels and M. Hanrath, Ab initio study of the electronic spectrum of $C_2H_2^+$. I. Vertical spectrum and angular potential curves 238 (1998) 33
Perić, M. and B. Engels, Ab initio study of the electronic spectrum of $C_2H_2^+$. II. Stretching potential energy surfaces for low-lying doublet electronic states 238 (1998) 47
Pettinger, B., see Beltramo, G. 238 (1998) 473
Pongor, G., see Kovács, A. 238 (1998) 231
Ponterini, G., see Baraldi, I. 238 (1998) 353
Pouilly, B. and M. Monnerville, New investigation of the photodissociation of the HBr molecule: total cross-section, anisotropy parameter and dependence of the spin–orbit branching on the ground state vibrational level 238 (1998) 437

Resende, S.M. and W.B. De Almeida, Analysis of the reaction paths to dissociation of dichloro-ethylenes into $Cl_2$ and $C_2H_2$ 238 (1998) 11
Roszak, S., see Kapala, J. 238 (1998) 221
Rudolf, P., see Brouwer, A.M. 238 (1998) 421

Sastre, R., see Barroso, J. 238 (1998) 257
Sauer, S.P.A., C.K. Møller, H. Koch, I. Paidarová and V. Špirko, The vibrational and temperature dependence of the indirect nuclear spin–spin coupling constants of the oxonium ($H_3O^+$) and hydroxyl ($OH^-$) ions 238 (1998) 385
Schiebel, P., see Detken, A. 238 (1998) 301
Schmickler, W., see Beltramo, G. 238 (1998) 473
Schulze, K.-D., Impedance spectroscopic investigation of the temperature influence on the transfer of tetraphenylborate ions through lipid membranes — Calculation of energy barriers for the ion transfer across lipid membranes 238 (1998) 495
Shchepkin, D.N., see Kolomiitsova, T.D. 238 (1998) 315
Shirota, H., N. Endo and K. Horie, Volume phase transition of polymer gel in water and heavy water 238 (1998) 487
Siebbeles, L.D.A. and Y.A. Berlin, Quantum motion of particles along one-dimensional pathways with static and dynamic energy disorder 238 (1998) 97
Soos, Z.G., see Kiselev, S.A. 238 (1998) 365
Špirko, V., see Sauer, S.P.A. 238 (1998) 385

Sworakowski, J. and S. Nešpůrek, 'Fractional heating' differential scanning calorimetry: a tool to study energetics and kinetics of solid-state reactions in photoactive systems with distributed parameters 238 (1998) 343

Temme, F.P., Yamanouchi-chain $\mathscr{S}_n$-invariant hierarchies for SR carrier space of $\{T^k(v)\}(SU2 \times \mathscr{S}_n)$ dual tensors in NMR: some maximal $\mathscr{S}_n$-inner products, via $\mathscr{S}_n$-restricted-space Schur Fn. product mappings 238 (1998) 245
Tomasi, J., see Champagne, B. 238 (1998) 153

Vanossi, D., see Baraldi, I. 238 (1998) 353

Walker, I.C., see Palmer, M.H. 238 (1998) 179
Wang, M.-L., K.-L. Han, S.-L. Cong, G.-Z. He and N.-Q. Lou, Rotational alignment from the $Sr(^3P_J) + CH_2ClI$ chemiluminescent reaction 238 (1998) 481
Wang, P.N., see Chen, J.H. 238 (1998) 165
Wang, Z.G., see Chen, J.H. 238 (1998) 165
Wilhelm, R., see Lindner, J. 238 (1998) 329

Yasuda, T. and S.-i. Ikawa, On the dielectric continuum solvent model for theoretical estimates of the conformational equilibrium of molecules with an intramolecular hydrogen bond 238 (1998) 173
Yeager, D.L., see McKellar, A.J. 238 (1998) 1
Yencha, A.J., A.J. Cormack, R.J. Donovan, A. Hopkirk and G.C. King, Threshold photoelectron spectroscopy of HCl and DCl 238 (1998) 109
Yencha, A.J., A.J. Cormack, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King, Threshold photoelectron spectroscopy of HBr and DBr 238 (1998) 133

Zerbetto, F., see Brouwer, A.M. 238 (1998) 421
Zimmermann, H., see Detken, A. 238 (1998) 301
Zwier, J.M., see Brouwer, A.M. 238 (1998) 421

ELSEVIER

Chemical Physics 238 (1998) 513–526

Chemical Physics

# Subject index to volume 238

## Methods and constructs

### Theoretical

*Computational methods for electronic structure*

Complete basis set limit ionization potentials of $O_3$ and $NO_2$ using the multiconfigurational spin tensor electron propagator method (MCSTEP), A.J. McKellar, D. Heryadi, D.L. Yeager and J.A. Nichols 238 (1998) 1

Analysis of the reaction paths to dissociation of dichloro-ethylenes into $Cl_2$ and $C_2H_2$, S.M. Resende and W.B. De Almeida 238 (1998) 11

An ab initio time-dependent Hartree–Fock study of solvent effects on the polarizability and second hyperpolarizability of polyacetylene chains within the polarizable continuum model, B. Champagne, B. Mennucci, M. Cossi, R. Cammi and J. Tomasi 238 (1998) 153

The first-order electric field-induced spectra: theory and experimental study of $NO_2$, J.H. Chen, P.N. Wang, F.M. Li, Y.Q. Chen and Z.G. Wang 238 (1998) 165

On the dielectric continuum solvent model for theoretical estimates of the conformational equilibrium of molecules with an intramolecular hydrogen bond, T. Yasuda and S.-i. Ikawa 238 (1998) 173

The electronic states of pyrrole studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 238 (1998) 179

Inner-shell excitation of $PF_3$, $PCl_3$, $PCl_2CF_3$, $OPF_3$ and $SPF_3$. Part I. Spectroscopy, J.J. Neville, A. Jürgensen, R.G. Cavell, N. Kosugi and A.P. Hitchcock 238 (1998) 201

Mass spectrometric and theoretical study of the mixed complex $NaCeCl_4(g)$, J. Kapala, S. Roszak, I. Lisek and M. Miller 238 (1998) 221

Solvent effects within the CS INDO method. Geometrical distortion and solvatochromism of merocyanine dyes, I. Baraldi, F. Momicchioli, G. Ponterini and D. Vanossi 238 (1998) 353

Cold photoconductivity in a system of interacting charge-transfer excitons at a donor–acceptor interface, S.A. Kiselev, E. Hartung, Z.G. Soos, S.R. Forrest and V.M. Agranovich 238 (1998) 365

Non-orthogonal orbitals for localized electrons. I. The Spin-Coupled wavefunction, A. Fritsch 238 (1998) 373

*-CI and valence bond approach*

The vibrational and temperature dependence of the indirect nuclear spin–spin coupling constants of the oxonium ($H_3O^+$) and hydroxyl ($OH^-$) ions, S.P.A. Sauer, C.K. Møller, H. Koch, I. Paidarová and V. Špirko 238 (1998) 385

PII: S0301-0104(98)00380-2

Charge transfer between $Si^{3+}$ and helium at thermal and low energies, P. Honvault, M.C. Bacchus-Montabonel, M. Gargaud and R. McCarroll 238 (1998) 401

*-perturbative and many body approaches*

Vertical double ionization of the sulphur dioxide molecule, I.W. Griffiths, D.E. Parry and F.M. Harris 238 (1998) 21

The vibrational and temperature dependence of the indirect nuclear spin–spin coupling constants of the oxonium ($H_3O^+$) and hydroxyl ($OH^-$) ions, S.P.A. Sauer, C.K. Møller, H. Koch, I. Paidarová and V. Špirko 238 (1998) 385

*-density functional theory*

Vibrational analysis of 2-nitrophenol. A joint FT-IR, FT-Raman and scaled quantum mechanical study, A. Kovács, V. Izvekov, G. Keresztury and G. Pongor 238 (1998) 231

Chemical bonding and magnetic properties of the high-spin molecule $[Mn_{12}O_{12}(HCOO)_{16}(H_2O)_4]$, Y. Duan 238 (1998) 407

*Algebraic approaches*

Yamanouchi-chain $\mathscr{S}_n$-invariant hierarchies for SR carrier space of $\{T^k(v)\}(SU2 \times \mathscr{S}_n)$ dual tensors in NMR: some maximal $\mathscr{S}_n$-inner products, via $\mathscr{S}_n$-restricted-space Schur Fn. product mappings, F.P. Temme 238 (1998) 245

Experimental and theoretical studies of the low-lying electronic states of the simplest benzylic amide [2]catenane, A.M. Brouwer, W.J. Buma, R. Caudano, M. Fanti, C.-A. Fustin, D.A. Leigh, A. Murphy, P. Rudolf, F. Zerbetto and J.M. Zwier 238 (1998) 421

*Wavefunctions for highly excited and unbound states*

Ab initio study of the electronic spectrum of $C_2H_2^+$. I. Vertical spectrum and angular potential curves, M. Perić, B. Engels and M. Hanrath 238 (1998) 33

Ab initio study of the electronic spectrum of $C_2H_2^+$. II. Stretching potential energy surfaces for low-lying doublet electronic states, M. Perić and B. Engels 238 (1998) 47

*Spin states and magnetic interactions*

Yamanouchi-chain $\mathscr{S}_n$-invariant hierarchies for SR carrier space of $\{T^k(v)\}(SU2 \times \mathscr{S}_n)$ dual tensors in NMR: some maximal $\mathscr{S}_n$-inner products, via $\mathscr{S}_n$-restricted-space Schur Fn. product mappings, F.P. Temme 238 (1998) 245

Chemical bonding and magnetic properties of the high-spin molecule $[Mn_{12}O_{12}(HCOO)_{16}(H_2O)_4]$, Y. Duan 238 (1998) 407

*Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)*

An ab initio time-dependent Hartree–Fock study of solvent effects on the polarizability and second hyperpolarizability of polyacetylene chains within the polarizable continuum model, B. Champagne, B. Mennucci, M. Cossi, R. Cammi and J. Tomasi 238 (1998) 153

Wavelength dependence of the nonlinear absorption properties of laser dyes in solid and liquid solutions, J. Barroso, A. Costela, I. García-Moreno and R. Sastre 238 (1998) 257

The vibrational and temperature dependence of the indirect nuclear spin–spin coupling constants of the oxonium ($H_3O^+$) and hydroxyl ($OH^-$) ions, S.P.A. Sauer, C.K. Møller, H. Koch, I. Paidarová and V. Špirko 238 (1998) 385

The study on the magnetic field effect and the microwave effect on the photoconductivity observed in the photolysis of *N,N,N′,N′*-tetramethyl-*p*-phenylenediamine: theoretical calculation trial by the stochastic Liouville equation, Y. Kitahama and H. Murai 238 (1998) 429

*Radiative (incl. relativistic) effects on molecules and molecular processes*
New investigation of the photodissociation of the HBr molecule: total cross-section, anisotropy parameter and dependence of the spin–orbit branching on the ground state vibrational level, B. Pouilly and M. Monnerville 238 (1998) 437

*Scattering of waves and particles*
Quantum study of oriented NO scattering from Ag(111): orientational steering and effects of surface corrugation, D. Lemoine and T. Duhoo 238 (1998) 59
Semiclassical reactive scattering: the Hermite correction method in hyperspherical coordinates, S. Adhikari and G.D. Billing 238 (1998) 69

*Collisional and reactive molecular dynamics with non-frictional forces*
Charge transfer between $Si^{3+}$ and helium at thermal and low energies, P. Honvault, M.C. Bacchus-Montabonel, M. Gargaud and R. McCarroll 238 (1998) 401

*Reactive molecular dynamics including dissipative processes*
A simple analytical estimate of the bound-free Franck–Condon factors for a transition to a repulsive exponential potential in a diatomic molecule, V. Brems 238 (1998) 85

*Quasiparticle dynamics (incl. excitons, polarons)*
Quantum motion of particles along one-dimensional pathways with static and dynamic energy disorder, L.D.A. Siebbeles and Y.A. Berlin 238 (1998) 97

*Migration and interaction on grids and lattices*
Quantum motion of particles along one-dimensional pathways with static and dynamic energy disorder, L.D.A. Siebbeles and Y.A. Berlin 238 (1998) 97
Yamanouchi-chain $\mathscr{S}_n$-invariant hierarchies for SR carrier space of $\{T^k(v)\}(SU2 \times \mathscr{S}_n)$ dual tensors in NMR: some maximal $\mathscr{S}_n$-inner products, via $\mathscr{S}_n$-restricted-space Schur Fn. product mappings, F.P. Temme 238 (1998) 245
Nonequilibrium dissociation of hydrogen in a parallel-plate radio frequency discharge, S. Longo and I.D. Boyd 238 (1998) 445

*Statistical computational methods (incl. Monte Carlo)*
Nonequilibrium dissociation of hydrogen in a parallel-plate radio frequency discharge, S. Longo and I.D. Boyd 238 (1998) 445

*Non-equilibrium statistical mechanics*
On the dependence of a critical supersaturation on pressure of a two-component background gas in a diffusion cloud chamber, A.L. Itkin 238 (1998) 273
Solvent effects on outersphere electron transfer reactions in mixed dipolar liquids, A. Chandra 238 (1998) 285

*Non-equilibrium thermodynamic and hydrodynamic theories*
Solvent effects on outersphere electron transfer reactions in mixed dipolar liquids, A. Chandra 238 (1998) 285

## Experiment

*Magnetic resonances*

Rotational tunneling of methyl groups in the hydroquinone/acetonitrile clathrate: A combined deuteron NMR, INS, and computational study, A. Detken, P. Schiebel, M.R. Johnson, H. Zimmermann and U. Haeberlen 238 (1998) 301

*Molecular spectroscopy*

Ab initio study of the electronic spectrum of $C_2H_2^+$. I. Vertical spectrum and angular potential curves, M. Perić, B. Engels and M. Hanrath 238 (1998) 33
Ab initio study of the electronic spectrum of $C_2H_2^+$. II. Stretching potential energy surfaces for low-lying doublet electronic states, M. Perić and B. Engels 238 (1998) 47
The first-order electric field-induced spectra: theory and experimental study of $NO_2$, J.H. Chen, P.N. Wang, F.M. Li, Y.Q. Chen and Z.G. Wang 238 (1998) 165
Wavelength dependence of the nonlinear absorption properties of laser dyes in solid and liquid solutions, J. Barroso, A. Costela, I. García-Moreno and R. Sastre 238 (1998) 257
Manifestation of interaction of the transition dipole moments in IR spectra of low-temperature liquids and solutions in liquefied noble gases, T.D. Kolomiitsova, A.P. Burtsev, V.G. Fedoseev and D.N. Shchepkin 238 (1998) 315

*-infrared*

On the dielectric continuum solvent model for theoretical estimates of the conformational equilibrium of molecules with an intramolecular hydrogen bond, T. Yasuda and S.-i. Ikawa 238 (1998) 173
Vibrational analysis of 2-nitrophenol. A joint FT-IR, FT-Raman and scaled quantum mechanical study, A. Kovács, V. Izvekov, G. Keresztury and G. Pongor 238 (1998) 231
Manifestation of interaction of the transition dipole moments in IR spectra of low-temperature liquids and solutions in liquefied noble gases, T.D. Kolomiitsova, A.P. Burtsev, V.G. Fedoseev and D.N. Shchepkin 238 (1998) 315

*-Raman*

Vibrational analysis of 2-nitrophenol. A joint FT-IR, FT-Raman and scaled quantum mechanical study, A. Kovács, V. Izvekov, G. Keresztury and G. Pongor 238 (1998) 231
Raman spectroscopy study on the dynamic behavior of nitrate anion in zinc nitrate solution at high temperatures and pressure, Y. Ikushima and M. Arai 238 (1998) 455

*-UV*

The electronic states of pyrrole studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 238 (1998) 179

*-visible*

Multi-photon dissociation of $CHBr_3$ at 248 and 193 nm: observation of the electronically excited $CH(A\,^2\Delta)$ product, J. Lindner, K. Ermisch and R. Wilhelm 238 (1998) 329
'Anomalous' density of states and rotational selection rules of loosely bound states of $NO_2$, A. Delon, S. Heilliette and R. Jost 238 (1998) 465

*Photoelectron and Auger spectroscopy*
Complete basis set limit ionization potentials of $O_3$ and $NO_2$ using the multiconfigurational spin tensor electron propagator method (MCSTEP), A.J. McKellar, D. Heryadi, D.L. Yeager and J.A. Nichols 238 (1998) 1
Vertical double ionization of the sulphur dioxide molecule, I.W. Griffiths, D.E. Parry and F.M. Harris 238 (1998) 21

*Electron impact spectroscopy*
Experimental and theoretical studies of the low-lying electronic states of the simplest benzylic amide [2]catenane, A.M. Brouwer, W.J. Buma, R. Caudano, M. Fanti, C.-A. Fustin, D.A. Leigh, A. Murphy, P. Rudolf, F. Zerbetto and J.M. Zwier 238 (1998) 421

*Nonlinear optics and spectroscopy*
The second-harmonic response of single-crystal silver electrodes obtained with an interference method, G. Beltramo, C. Bilger, B. Pettinger and W. Schmickler 238 (1998) 473

*Synchrotron spectroscopies*
Threshold photoelectron spectroscopy of HCl and DCl, A.J. Yencha, A.J. Cormack, R.J. Donovan, A. Hopkirk and G.C. King 238 (1998) 109
Threshold photoelectron spectroscopy of HBr and DBr, A.J. Yencha, A.J. Cormack, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 238 (1998) 133
Inner-shell excitation of $PF_3$, $PCl_3$, $PCl_2CF_3$, $OPF_3$ and $SPF_3$. Part I. Spectroscopy, J.J. Neville, A. Jürgensen, R.G. Cavell, N. Kosugi and A.P. Hitchcock 238 (1998) 201

*Atomic and molecular beam techniques*
Rotational alignment from the $Sr(^3P_J) + CH_2ClI$ chemiluminescent reaction, M.-L. Wang, K.-L. Han, S.-L. Cong, G.-Z. He and N.-Q. Lou 238 (1998) 481

*Mass spectroscopy*
Vertical double ionization of the sulphur dioxide molecule, I.W. Griffiths, D.E. Parry and F.M. Harris 238 (1998) 21
Mass spectrometric and theoretical study of the mixed complex $NaCeCl_4(g)$, J. Kapala, S. Roszak, I. Lisek and M. Miller 238 (1998) 221

*Neutron scattering (inelastic and quasielastic)*
Rotational tunneling of methyl groups in the hydroquinone/acetonitrile clathrate: A combined deuteron NMR, INS, and computational study, A. Detken, P. Schiebel, M.R. Johnson, H. Zimmermann and U. Haeberlen 238 (1998) 301

*Calorimetric methods*
'Fractional heating' differential scanning calorimetry: a tool to study energetics and kinetics of solid-state reactions in photoactive systems with distributed parameters, J. Sworakowski and S. Nešpůrek 238 (1998) 343

*Measurement of macroscopic variables*
'Fractional heating' differential scanning calorimetry: a tool to study energetics and kinetics of solid-state reactions in photoactive systems with distributed parameters, J. Sworakowski and S. Nešpůrek 238 (1998) 343

Impedance spectroscopic investigation of the temperature influence on the transfer of tetraphenylborate ions through lipid membranes — Calculation of energy barriers for the ion transfer across lipid membranes, K.-D. Schulze 238 (1998) 495
Volume phase transition of polymer gel in water and heavy water, H. Shirota, N. Endo and K. Horie 238 (1998) 487

## Objects

### Bulk systems

*Gases*

Complete basis set limit ionization potentials of $O_3$ and $NO_2$ using the multiconfigurational spin tensor electron propagator method (MCSTEP), A.J. McKellar, D. Heryadi, D.L. Yeager and J.A. Nichols 238 (1998) 1
Analysis of the reaction paths to dissociation of dichloro-ethylenes into $Cl_2$ and $C_2H_2$, S.M. Resende and W.B. De Almeida 238 (1998) 11
Ab initio study of the electronic spectrum of $C_2H_2^+$. I. Vertical spectrum and angular potential curves, M. Perić, B. Engels and M. Hanrath 238 (1998) 33
Ab initio study of the electronic spectrum of $C_2H_2^+$. II. Stretching potential energy surfaces for low-lying doublet electronic states, M. Perić and B. Engels 238 (1998) 47
Threshold photoelectron spectroscopy of HCl and DCl, A.J. Yencha, A.J. Cormack, R.J. Donovan, A. Hopkirk and G.C. King 238 (1998) 109
Threshold photoelectron spectroscopy of HBr and DBr, A.J. Yencha, A.J. Cormack, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 238 (1998) 133
The electronic states of pyrrole studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 238 (1998) 179
Inner-shell excitation of $PF_3$, $PCl_3$, $PCl_2CF_3$, $OPF_3$ and $SPF_3$. Part I. Spectroscopy, J.J. Neville, A. Jürgensen, R.G. Cavell, N. Kosugi and A.P. Hitchcock 238 (1998) 201
New investigation of the photodissociation of the HBr molecule: total cross-section, anisotropy parameter and dependence of the spin–orbit branching on the ground state vibrational level, B. Pouilly and M. Monnerville 238 (1998) 437
Rotational alignment from the $Sr(^3P_J) + CH_2ClI$ chemiluminescent reaction, M.-L. Wang, K.-L. Han, S.-L. Cong, G.-Z. He and N.-Q. Lou 238 (1998) 481

*Supersonic beams*

'Anomalous' density of states and rotational selection rules of loosely bound states of $NO_2$, A. Delon, S. Heilliette and R. Jost 238 (1998) 465

*Liquids neat*

An ab initio time-dependent Hartree–Fock study of solvent effects on the polarizability and second hyperpolarizability of polyacetylene chains within the polarizable continuum model, B. Champagne, B. Mennucci, M. Cossi, R. Cammi and J. Tomasi 238 (1998) 153

*Liquid mixtures and solutions*

On the dielectric continuum solvent model for theoretical estimates of the conformational equilibrium of molecules with an intramolecular hydrogen bond, T. Yasuda and S.-i. Ikawa 238 (1998) 173

Wavelength dependence of the nonlinear absorption properties of laser dyes in solid and liquid solutions, J. Barroso, A. Costela, I. García-Moreno and R. Sastre 238 (1998) 257
Manifestation of interaction of the transition dipole moments in IR spectra of low-temperature liquids and solutions in liquefied noble gases, T.D. Kolomiitsova, A.P. Burtsev, V.G. Fedoseev and D.N. Shchepkin 238 (1998) 315
Solvent effects within the CS INDO method. Geometrical distortion and solvatochromism of merocyanine dyes, I. Baraldi, F. Momicchioli, G. Ponterini and D. Vanossi 238 (1998) 353
Experimental and theoretical studies of the low-lying electronic states of the simplest benzylic amide [2]catenane, A.M. Brouwer, W.J. Buma, R. Caudano, M. Fanti, C.-A. Fustin, D.A. Leigh, A. Murphy, P. Rudolf, F. Zerbetto and J.M. Zwier 238 (1998) 421
Raman spectroscopy study on the dynamic behavior of nitrate anion in zinc nitrate solution at high temperatures and pressure, Y. Ikushima and M. Arai 238 (1998) 455

*Crystals*

*-neat*
Rotational tunneling of methyl groups in the hydroquinone/acetonitrile clathrate: A combined deuteron NMR, INS, and computational study, A. Detken, P. Schiebel, M.R. Johnson, H. Zimmermann and U. Haeberlen 238 (1998) 301

*Complex fluids*
On the dependence of a critical supersaturation on pressure of a two-component background gas in a diffusion cloud chamber, A.L. Itkin 238 (1998) 273
Solvent effects on outersphere electron transfer reactions in mixed dipolar liquids, A. Chandra 238 (1998) 285

*Polymers*
Volume phase transition of polymer gel in water and heavy water, H. Shirota, N. Endo and K. Horie 238 (1998) 487

*Surfaces*
Quantum study of oriented NO scattering from Ag(111): orientational steering and effects of surface corrugation, D. Lemoine and T. Duhoo 238 (1998) 59
Experimental and theoretical studies of the low-lying electronic states of the simplest benzylic amide [2]catenane, A.M. Brouwer, W.J. Buma, R. Caudano, M. Fanti, C.-A. Fustin, D.A. Leigh, A. Murphy, P. Rudolf, F. Zerbetto and J.M. Zwier 238 (1998) 421

*Low-dimensional materials*
Quantum motion of particles along one-dimensional pathways with static and dynamic energy disorder, L.D.A. Siebbeles and Y.A. Berlin 238 (1998) 97

*Dielectrics*
Cold photoconductivity in a system of interacting charge-transfer excitons at a donor–acceptor interface, S.A. Kiselev, E. Hartung, Z.G. Soos, S.R. Forrest and V.M. Agranovich 238 (1998) 365

*Plasmas*
Nonequilibrium dissociation of hydrogen in a parallel-plate radio frequency discharge, S. Longo and I.D. Boyd 238 (1998) 445

*Biological systems*
Impedance spectroscopic investigation of the temperature influence on the transfer of tetraphenylborate ions through lipid membranes — Calculation of energy barriers for the ion transfer across lipid membranes, K.-D. Schulze 238 (1998) 495

**Microscopic and mesoscopic systems**

*Single atoms, molecules and assemblies (incl. biological)*
Semiclassical reactive scattering: the Hermite correction method in hyperspherical coordinates, S. Adhikari and G.D. Billing 238 (1998) 69
Rotational alignment from the $Sr(^3P_J) + CH_2ClI$ chemiluminescent reaction, M.-L. Wang, K.-L. Han, S.-L. Cong, G.-Z. He and N.-Q. Lou 238 (1998) 481

*Molecules (neutral and ionic)*
Ab initio study of the electronic spectrum of $C_2H_2^+$. I. Vertical spectrum and angular potential curves, M. Perić, B. Engels and M. Hanrath 238 (1998) 33
Ab initio study of the electronic spectrum of $C_2H_2^+$. II. Stretching potential energy surfaces for low-lying doublet electronic states, M. Perić and B. Engels 238 (1998) 47
The first-order electric field-induced spectra: theory and experimental study of $NO_2$, J.H. Chen, P.N. Wang, F.M. Li, Y.Q. Chen and Z.G. Wang 238 (1998) 165
The electronic states of pyrrole studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 238 (1998) 179
The study on the magnetic field effect and the microwave effect on the photoconductivity observed in the photolysis of *N,N,N′,N′*-tetramethyl-*p*-phenylenediamine: theoretical calculation trial by the stochastic Liouville equation, Y. Kitahama and H. Murai 238 (1998) 429
Raman spectroscopy study on the dynamic behavior of nitrate anion in zinc nitrate solution at high temperatures and pressure, Y. Ikushima and M. Arai 238 (1998) 455

*-diatomic*
Quantum study of oriented NO scattering from Ag(111): orientational steering and effects of surface corrugation, D. Lemoine and T. Duhoo 238 (1998) 59
A simple analytical estimate of the bound-free Franck–Condon factors for a transition to a repulsive exponential potential in a diatomic molecule, V. Brems 238 (1998) 85
Threshold photoelectron spectroscopy of HCl and DCl, A.J. Yencha, A.J. Cormack, R.J. Donovan, A. Hopkirk and G.C. King 238 (1998) 109
Threshold photoelectron spectroscopy of HBr and DBr, A.J. Yencha, A.J. Cormack, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 238 (1998) 133
Charge transfer between $Si^{3+}$ and helium at thermal and low energies, P. Honvault, M.C. Bacchus-Montabonel, M. Gargaud and R. McCarroll 238 (1998) 401
New investigation of the photodissociation of the HBr molecule: total cross-section, anisotropy parameter and dependence of the spin–orbit branching on the ground state vibrational level, B. Pouilly and M. Monnerville 238 (1998) 437

*-small polyatomics*
Vertical double ionization of the sulphur dioxide molecule, I.W. Griffiths, D.E. Parry and F.M. Harris 238 (1998) 21

On the dielectric continuum solvent model for theoretical estimates of the conformational equilibrium of molecules with an intramolecular hydrogen bond, T. Yasuda and S.-i. Ikawa 238 (1998) 173
Inner-shell excitation of $PF_3$, $PCl_3$, $PCl_2CF_3$, $OPF_3$ and $SPF_3$. Part I. Spectroscopy, J.J. Neville, A. Jürgensen, R.G. Cavell, N. Kosugi and A.P. Hitchcock 238 (1998) 201
Multi-photon dissociation of $CHBr_3$ at 248 and 193 nm: observation of the electronically excited $CH(A\,^2\Delta)$ product, J. Lindner, K. Ermisch and R. Wilhelm 238 (1998) 329
The vibrational and temperature dependence of the indirect nuclear spin–spin coupling constants of the oxonium ($H_3O^+$) and hydroxyl ($OH^-$) ions, S.P.A. Sauer, C.K. Møller, H. Koch, I. Paidarová and V. Špirko 238 (1998) 385
'Anomalous' density of states and rotational selection rules of loosely bound states of $NO_2$, A. Delon, S. Heilliette and R. Jost 238 (1998) 465

*-aromatics*
Vibrational analysis of 2-nitrophenol. A joint FT-IR, FT-Raman and scaled quantum mechanical study, A. Kovács, V. Izvekov, G. Keresztury and G. Pongor 238 (1998) 231

*-other large*
Wavelength dependence of the nonlinear absorption properties of laser dyes in solid and liquid solutions, J. Barroso, A. Costela, I. García-Moreno and R. Sastre 238 (1998) 257
Solvent effects within the CS INDO method. Geometrical distortion and solvatochromism of merocyanine dyes, I. Baraldi, F. Momicchioli, G. Ponterini and D. Vanossi 238 (1998) 353

*Molecular aggregates*
Analysis of the reaction paths to dissociation of dichloro-ethylenes into $Cl_2$ and $C_2H_2$, S.M. Resende and W.B. De Almeida 238 (1998) 11
'Fractional heating' differential scanning calorimetry: a tool to study energetics and kinetics of solid-state reactions in photoactive systems with distributed parameters, J. Sworakowski and S. Nešpůrek 238 (1998) 343

*-dimers*
Manifestation of interaction of the transition dipole moments in IR spectra of low-temperature liquids and solutions in liquefied noble gases, T.D. Kolomiitsova, A.P. Burtsev, V.G. Fedoseev and D.N. Shchepkin 238 (1998) 315

*-clusters*
On the dependence of a critical supersaturation on pressure of a two-component background gas in a diffusion cloud chamber, A.L. Itkin 238 (1998) 273

*Quasiparticles (incl. excitons)*
Quantum motion of particles along one-dimensional pathways with static and dynamic energy disorder, L.D.A. Siebbeles and Y.A. Berlin 238 (1998) 97
Yamanouchi-chain $\mathscr{S}_n$-invariant hierarchies for SR carrier space of $\{T^k(v)\}(SU2 \times \mathscr{S}_n)$ dual tensors in NMR: some maximal $\mathscr{S}_n$-inner products, via $\mathscr{S}_n$-restricted-space Schur Fn. product mappings, F.P. Temme 238 (1998) 245

*Ions and charge carriers*
Nonequilibrium dissociation of hydrogen in a parallel-plate radio frequency discharge, S. Longo and I.D. Boyd 238 (1998) 445

*Liquid–liquid and liquid–solid interfaces*
The second-harmonic response of single-crystal silver electrodes obtained with an interference method, G. Beltramo, C. Bilger, B. Pettinger and W. Schmickler 238 (1998) 473

## Phenomena

*Molecular structure*
Analysis of the reaction paths to dissociation of dichloro-ethylenes into $\dot{C}l_2$ and $C_2H_2$, S.M. Resende and W.B. De Almeida 238 (1998) 11
Ab initio study of the electronic spectrum of $C_2H_2^+$. I. Vertical spectrum and angular potential curves, M. Perić, B. Engels and M. Hanrath 238 (1998) 33
Ab initio study of the electronic spectrum of $C_2H_2^+$. II. Stretching potential energy surfaces for low-lying doublet electronic states, M. Perić and B. Engels 238 (1998) 47
On the dielectric continuum solvent model for theoretical estimates of the conformational equilibrium of molecules with an intramolecular hydrogen bond, T. Yasuda and S.-i. Ikawa 238 (1998) 173
The electronic states of pyrrole studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 238 (1998) 179
Mass spectrometric and theoretical study of the mixed complex $NaCeCl_4(g)$, J. Kapala, S. Roszak, I. Lisek and M. Miller 238 (1998) 221

*Vibrations and rotations of molecules*
Quantum study of oriented NO scattering from Ag(111): orientational steering and effects of surface corrugation, D. Lemoine and T. Duhoo 238 (1998) 59
A simple analytical estimate of the bound-free Franck–Condon factors for a transition to a repulsive exponential potential in a diatomic molecule, V. Brems 238 (1998) 85
The first-order electric field-induced spectra: theory and experimental study of $NO_2$, J.H. Chen, P.N. Wang, F.M. Li, Y.Q. Chen and Z.G. Wang 238 (1998) 165
Vibrational analysis of 2-nitrophenol. A joint FT-IR, FT-Raman and scaled quantum mechanical study, A. Kovács, V. Izvekov, G. Keresztury and G. Pongor 238 (1998) 231
Rotational tunneling of methyl groups in the hydroquinone/acetonitrile clathrate: A combined deuteron NMR, INS, and computational study, A. Detken, P. Schiebel, M.R. Johnson, H. Zimmermann and U. Haeberlen 238 (1998) 301
Raman spectroscopy study on the dynamic behavior of nitrate anion in zinc nitrate solution at high temperatures and pressure, Y. Ikushima and M. Arai 238 (1998) 455

*Electronic structure and states*
Complete basis set limit ionization potentials of $O_3$ and $NO_2$ using the multiconfigurational spin tensor electron propagator method (MCSTEP), A.J. McKellar, D. Heryadi, D.L. Yeager and J.A. Nichols 238 (1998) 1
Ab initio study of the electronic spectrum of $C_2H_2^+$. II. Stretching potential energy surfaces for low-lying doublet electronic states, M. Perić and B. Engels 238 (1998) 47
Inner-shell excitation of $PF_3$, $PCl_3$, $PCl_2CF_3$, $OPF_3$ and $SPF_3$. Part I. Spectroscopy, J.J. Neville, A. Jürgensen, R.G. Cavell, N. Kosugi and A.P. Hitchcock 238 (1998) 201
Non-orthogonal orbitals for localized electrons. I. The Spin-Coupled wavefunction, A. Fritsch 238 (1998) 373

Chemical bonding and magnetic properties of the high-spin molecule $[Mn_{12}O_{12}(HCOO)_{16}(H_2O)_4]$, Y. Duan 238 (1998) 407
Experimental and theoretical studies of the low-lying electronic states of the simplest benzylic amide [2]catenane, A.M. Brouwer, W.J. Buma, R. Caudano, M. Fanti, C.-A. Fustin, D.A. Leigh, A. Murphy, P. Rudolf, F. Zerbetto and J.M. Zwier 238 (1998) 421

*Electric and magnetic properties*

The vibrational and temperature dependence of the indirect nuclear spin–spin coupling constants of the oxonium ($H_3O^+$) and hydroxyl ($OH^-$) ions, S.P.A. Sauer, C.K. Møller, H. Koch, I. Paidarová and V. Špirko 238 (1998) 385
Chemical bonding and magnetic properties of the high-spin molecule $[Mn_{12}O_{12}(HCOO)_{16}(H_2O)_4]$, Y. Duan 238 (1998) 407

*Molecular interactions*

Manifestation of interaction of the transition dipole moments in IR spectra of low-temperature liquids and solutions in liquefied noble gases, T.D. Kolomiitsova, A.P. Burtsev, V.G. Fedoseev and D.N. Shchepkin 238 (1998) 315
New investigation of the photodissociation of the HBr molecule: total cross-section, anisotropy parameter and dependence of the spin–orbit branching on the ground state vibrational level, B. Pouilly and M. Monnerville 238 (1998) 437

*Spectral bandshapes and intensities*

A simple analytical estimate of the bound-free Franck–Condon factors for a transition to a repulsive exponential potential in a diatomic molecule, V. Brems 238 (1998) 85

*Energy transfer processes*

New investigation of the photodissociation of the HBr molecule: total cross-section, anisotropy parameter and dependence of the spin–orbit branching on the ground state vibrational level, B. Pouilly and M. Monnerville 238 (1998) 437
Nonequilibrium dissociation of hydrogen in a parallel-plate radio frequency discharge, S. Longo and I.D. Boyd 238 (1998) 445

*Molecular photophysical processes*

The study on the magnetic field effect and the microwave effect on the photoconductivity observed in the photolysis of *N,N,N′,N′*-tetramethyl-*p*-phenylenediamine: theoretical calculation trial by the stochastic Liouville equation, Y. Kitahama and H. Murai 238 (1998) 429

*Photochemistry*

Multi-photon dissociation of $CHBr_3$ at 248 and 193 nm: observation of the electronically excited $CH(A\,^2\Delta)$ product, J. Lindner, K. Ermisch and R. Wilhelm 238 (1998) 329
'Fractional heating' differential scanning calorimetry: a tool to study energetics and kinetics of solid-state reactions in photoactive systems with distributed parameters, J. Sworakowski and S. Nešpůrek 238 (1998) 343

*Intramolecular dynamics*

'Anomalous' density of states and rotational selection rules of loosely bound states of $NO_2$, A. Delon, S. Heilliette and R. Jost 238 (1998) 465

*Luminescence spectra, yields and lifetimes*
Rotational alignment from the $Sr(^3P_J) + CH_2ClI$ chemiluminescent reaction, M.-L. Wang, K.-L. Han, S.-L. Cong, G.-Z. He and N.-Q. Lou 238 (1998) 481

*Coherence loss processes*
Yamanouchi-chain $\mathscr{S}_n$-invariant hierarchies for SR carrier space of $\{T^k(v)\}(SU2 \times \mathscr{S}_n)$ dual tensors in NMR: some maximal $\mathscr{S}_n$-inner products, via $\mathscr{S}_n$-restricted-space Schur Fn. product mappings, F.P. Temme 238 (1998) 245

*Nonlinear responses (incl. optical)*
An ab initio time-dependent Hartree–Fock study of solvent effects on the polarizability and second hyperpolarizability of polyacetylene chains within the polarizable continuum model, B. Champagne, B. Mennucci, M. Cossi, R. Cammi and J. Tomasi 238 (1998) 153
Wavelength dependence of the nonlinear absorption properties of laser dyes in solid and liquid solutions, J. Barroso, A. Costela, I. García-Moreno and R. Sastre 238 (1998) 257

*Reactions (incl. dissociation)*
Analysis of the reaction paths to dissociation of dichloro-ethylenes into $Cl_2$ and $C_2H_2$, S.M. Resende and W.B. De Almeida 238 (1998) 11
Semiclassical reactive scattering: the Hermite correction method in hyperspherical coordinates, S. Adhikari and G.D. Billing 238 (1998) 69
Multi-photon dissociation of $CHBr_3$ at 248 and 193 nm: observation of the electronically excited $CH(A\,^2\Delta)$ product, J. Lindner, K. Ermisch and R. Wilhelm 238 (1998) 329
Rotational alignment from the $Sr(^3P_J) + CH_2ClI$ chemiluminescent reaction, M.-L. Wang, K.-L. Han, S.-L. Cong, G.-Z. He and N.-Q. Lou 238 (1998) 481

*-isolated molecules*
A simple analytical estimate of the bound-free Franck–Condon factors for a transition to a repulsive exponential potential in a diatomic molecule, V. Brems 238 (1998) 85
'Anomalous' density of states and rotational selection rules of loosely bound states of $NO_2$, A. Delon, S. Heilliette and R. Jost 238 (1998) 465

*-condensed phase*
Solvent effects on outersphere electron transfer reactions in mixed dipolar liquids, A. Chandra 238 (1998) 285

*Tunneling*
Rotational tunneling of methyl groups in the hydroquinone/acetonitrile clathrate: A combined deuteron NMR, INS, and computational study, A. Detken, P. Schiebel, M.R. Johnson, H. Zimmermann and U. Haeberlen 238 (1998) 301

*Electron transfer*
Quantum motion of particles along one-dimensional pathways with static and dynamic energy disorder, L.D.A. Siebbeles and Y.A. Berlin 238 (1998) 97
Solvent effects on outersphere electron transfer reactions in mixed dipolar liquids, A. Chandra 238 (1998) 285
Solvent effects within the CS INDO method. Geometrical distortion and solvatochromism of merocyanine dyes, I. Baraldi, F. Momicchioli, G. Ponterini and D. Vanossi 238 (1998) 353

Cold photoconductivity in a system of interacting charge-transfer excitons at a donor–acceptor interface, S.A. Kiselev, E. Hartung, Z.G. Soos, S.R. Forrest and V.M. Agranovich 238 (1998) 365
Charge transfer between $Si^{3+}$ and helium at thermal and low energies, P. Honvault, M.C. Bacchus-Montabonel, M. Gargaud and R. McCarroll 238 (1998) 401

*Ionization (incl. Rydberg states)*
Vertical double ionization of the sulphur dioxide molecule, I.W. Griffiths, D.E. Parry and F.M. Harris 238 (1998) 21
Threshold photoelectron spectroscopy of HCl and DCl, A.J. Yencha, A.J. Cormack, R.J. Donovan, A. Hopkirk and G.C. King 238 (1998) 109
Threshold photoelectron spectroscopy of HBr and DBr, A.J. Yencha, A.J. Cormack, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 238 (1998) 133

*Isotopic effects*
Threshold photoelectron spectroscopy of HCl and DCl, A.J. Yencha, A.J. Cormack, R.J. Donovan, A. Hopkirk and G.C. King 238 (1998) 109
Threshold photoelectron spectroscopy of HBr and DBr, A.J. Yencha, A.J. Cormack, R.J. Donovan, K.P. Lawley, A. Hopkirk and G.C. King 238 (1998) 133
Volume phase transition of polymer gel in water and heavy water, H. Shirota, N. Endo and K. Horie 238 (1998) 487

*Surface chemical physics*
Impedance spectroscopic investigation of the temperature influence on the transfer of tetraphenylborate ions through lipid membranes — Calculation of energy barriers for the ion transfer across lipid membranes, K.-D. Schulze 238 (1998) 495

*-surface scattering*
Quantum study of oriented NO scattering from Ag(111): orientational steering and effects of surface corrugation, D. Lemoine and T. Duhoo 238 (1998) 59

*Thermodynamic and transport properties*
Mass spectrometric and theoretical study of the mixed complex $NaCeCl_4(g)$, J. Kapala, S. Roszak, I. Lisek and M. Miller 238 (1998) 221
On the dependence of a critical supersaturation on pressure of a two-component background gas in a diffusion cloud chamber, A.L. Itkin 238 (1998) 273
'Fractional heating' differential scanning calorimetry: a tool to study energetics and kinetics of solid-state reactions in photoactive systems with distributed parameters, J. Sworakowski and S. Nešpůrek 238 (1998) 343
Impedance spectroscopic investigation of the temperature influence on the transfer of tetraphenylborate ions through lipid membranes — Calculation of energy barriers for the ion transfer across lipid membranes, K.-D. Schulze 238 (1998) 495

*Critical behavior and phase transitions*
On the dependence of a critical supersaturation on pressure of a two-component background gas in a diffusion cloud chamber, A.L. Itkin 238 (1998) 273
Volume phase transition of polymer gel in water and heavy water, H. Shirota, N. Endo and K. Horie 238 (1998) 487